

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Physical activity</b>			
High Schools	90	46	38 - 54
Middle Schools	131	49	43 - 55
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>49</b>	<b>45 - 54</b>
<b>b. Nutrition</b>			
High Schools	89	42	34 - 50
Middle Schools	129	43	36 - 49
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>43</b>	<b>38 - 47</b>
<b>c. Tobacco-use prevention</b>			
High Schools	90	42	35 - 50
Middle Schools	129	40	34 - 46
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>41</b>	<b>36 - 46</b>
<b>d. Asthma</b>			
High Schools	88	11	7 - 16
Middle Schools	124	19	14 - 25
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>226</b>	<b>16</b>	<b>13 - 20</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**3. Percentage of schools that have a copy of district's wellness policy.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>Yes</b>			
High Schools	90	90	83 - 94
Middle Schools	130	92	88 - 95
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>91</b>	<b>88 - 94</b>
<b>No</b>			
High Schools	90	9	6 - 15
Middle Schools	130	7	4 - 11
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>8</b>	<b>6 - 11</b>
<b>District does not have wellness policy</b>			
High Schools	90	1	0 - 4
Middle Schools	130	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>1</b>	<b>0 - 2</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	92	92	86 - 96
Middle Schools	132	88	83 - 92
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>238</b>	<b>90</b>	<b>87 - 93</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	90	61	54 - 68
Middle Schools	131	55	48 - 61
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>58</b>	<b>53 - 63</b>

NA=Not available

N=Unweighted number of observations

**Kentucky  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. School administration</b>			
High Schools	53	91	83 - 95
Middle Schools	72	92	85 - 95
Junior/Senior High Schools	10	89	60 - 98
<b>All Schools</b>	<b>135</b>	<b>91</b>	<b>87 - 94</b>
<b>b. Health education teachers</b>			
High Schools	53	88	80 - 94
Middle Schools	72	93	87 - 96
Junior/Senior High Schools	10	89	60 - 98
<b>All Schools</b>	<b>135</b>	<b>91</b>	<b>86 - 94</b>
<b>c. Physical education teachers</b>			
High Schools	52	88	79 - 94
Middle Schools	71	92	87 - 95
Junior/Senior High Schools	10	89	60 - 98
<b>All Schools</b>	<b>133</b>	<b>90</b>	<b>86 - 93</b>
<b>d. Mental health or social services staff</b>			
High Schools	52	52	42 - 62
Middle Schools	68	46	38 - 55
Junior/Senior High Schools	10	40	21 - 63
<b>All Schools</b>	<b>130</b>	<b>48</b>	<b>42 - 54</b>
<b>e. Nutrition or food service staff</b>			
High Schools	51	61	50 - 70
Middle Schools	70	60	52 - 68
Junior/Senior High Schools	10	79	52 - 93
<b>All Schools</b>	<b>131</b>	<b>62</b>	<b>56 - 68</b>
<b>f. Health services staff (e.g., school nurse)</b>			
High Schools	52	69	59 - 77
Middle Schools	69	62	54 - 70
Junior/Senior High Schools	10	59	35 - 80
<b>All Schools</b>	<b>131</b>	<b>64</b>	<b>58 - 70</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Maintenance and transportation staff</b>			
High Schools	48	16	10 - 25
Middle Schools	67	20	13 - 28
Junior/Senior High Schools	10	9	2 - 35
<b>All Schools</b>	<b>125</b>	<b>18</b>	<b>13 - 23</b>
<b>h. Student body</b>			
High Schools	51	53	43 - 63
Middle Schools	67	36	28 - 45
Junior/Senior High Schools	10	40	21 - 63
<b>All Schools</b>	<b>128</b>	<b>43</b>	<b>37 - 49</b>
<b>i. Parents or families of students</b>			
High Schools	51	46	36 - 56
Middle Schools	69	65	57 - 72
Junior/Senior High Schools	10	61	33 - 83
<b>All Schools</b>	<b>130</b>	<b>58</b>	<b>51 - 63</b>
<b>j. Community</b>			
High Schools	50	57	46 - 67
Middle Schools	66	38	29 - 48
Junior/Senior High Schools	10	70	41 - 89
<b>All Schools</b>	<b>126</b>	<b>48</b>	<b>41 - 55</b>
<b>k. Local health departments, agencies, or organizations</b>			
High Schools	52	51	40 - 61
Middle Schools	70	45	37 - 54
Junior/Senior High Schools	10	79	52 - 93
<b>All Schools</b>	<b>132</b>	<b>50</b>	<b>44 - 57</b>
<b>l. Faith-based organizations</b>			
High Schools	51	14	9 - 22
Middle Schools	65	9	5 - 16
Junior/Senior High Schools	10	9	2 - 35
<b>All Schools</b>	<b>126</b>	<b>11</b>	<b>8 - 15</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>m. Businesses</b>			
High Schools	50	29	20 - 40
Middle Schools	66	19	13 - 28
Junior/Senior High Schools	10	21	7 - 47
<b>All Schools</b>	<b>126</b>	<b>23</b>	<b>18 - 29</b>
<b>n. Local government</b>			
High Schools	47	22	16 - 30
Middle Schools	65	11	6 - 18
Junior/Senior High Schools	10	9	2 - 35
<b>All Schools</b>	<b>122</b>	<b>15</b>	<b>11 - 19</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Ethnic/racial minority youth at high risk</b>			
High Schools	89	19	14 - 26
Middle Schools	131	15	11 - 20
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>16</b>	<b>13 - 20</b>
<b>b. Youth who participate in drop-out prevention, alternative education, or GED programs</b>			
High Schools	90	42	35 - 50
Middle Schools	130	17	12 - 22
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>27</b>	<b>23 - 31</b>

NA=Not available

N=Unweighted number of observations



**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	89	23	18 - 29
Middle Schools	129	7	4 - 11
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>231</b>	<b>13</b>	<b>11 - 16</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Attendance of students with HIV infection</b>			
High Schools	90	28	21 - 35
Middle Schools	127	15	11 - 20
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>230</b>	<b>20</b>	<b>16 - 24</b>
<b>b. Procedures to protect HIV-infected students and staff from discrimination</b>			
High Schools	90	42	34 - 49
Middle Schools	129	24	19 - 30
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>33</b>	<b>28 - 37</b>
<b>c. Maintaining confidentiality of HIV-infected students and staff</b>			
High Schools	90	49	41 - 56
Middle Schools	128	27	22 - 33
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>38</b>	<b>34 - 43</b>
<b>d. Worksite safety</b>			
High Schools	90	66	58 - 73
Middle Schools	129	48	41 - 55
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>57</b>	<b>52 - 61</b>
<b>e. Confidential counseling for HIV-infected students</b>			
High Schools	90	32	25 - 40
Middle Schools	128	23	18 - 30
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>27</b>	<b>23 - 32</b>
<b>f. Communication of the policy to students, school staff, and parents</b>			
High Schools	90	42	34 - 50
Middle Schools	128	23	18 - 29
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>30</b>	<b>26 - 34</b>

NA=Not available

N=Unweighted number of observations

**Kentucky  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Adequate training about HIV infection for school staff</b>			
High Schools	90	45	38 - 52
Middle Schools	129	31	25 - 37
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>38</b>	<b>34 - 42</b>
<b>h. Procedures for implementing the policy</b>			
High Schools	90	40	33 - 48
Middle Schools	129	24	19 - 30
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>30</b>	<b>26 - 34</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	89	99	96 - 100
Middle Schools	130	77	71 - 82
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>87</b>	<b>83 - 90</b>
<b>b. No</b>			
High Schools	89	1	0 - 4
Middle Schools	130	18	14 - 23
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>11</b>	<b>8 - 14</b>
<b>c. Not applicable</b>			
High Schools	89	0	NA
Middle Schools	130	5	3 - 9
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>3</b>	<b>1 - 5</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**11. Percentage of schools that require physical education for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	91	98	94 - 99
Middle Schools	127	81	76 - 86
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>231</b>	<b>89</b>	<b>86 - 91</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**12. Percentage of all schools that taught a required physical education course in each of the following grades.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Sixth grade</b>			
High Schools	NA	NA	NA
Middle Schools	88	99	95 - 100
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>96</b>	<b>98</b>	<b>94 - 99</b>
<b>b. Seventh grade</b>			
High Schools	NA	NA	NA
Middle Schools	101	100	NA
Junior/Senior High Schools	12	91	69 - 98
<b>All Schools</b>	<b>113</b>	<b>99</b>	<b>96 - 100</b>
<b>c. Eighth grade</b>			
High Schools	NA	NA	NA
Middle Schools	100	96	92 - 98
Junior/Senior High Schools	12	74	51 - 88
<b>All Schools</b>	<b>112</b>	<b>94</b>	<b>89 - 96</b>
<b>d. Ninth grade</b>			
High Schools	85	90	84 - 93
Middle Schools	NA	NA	NA
Junior/Senior High Schools	12	92	70 - 98
<b>All Schools</b>	<b>98</b>	<b>89</b>	<b>84 - 93</b>
<b>e. Tenth grade</b>			
High Schools	80	38	30 - 47
Middle Schools	NA	NA	NA
Junior/Senior High Schools	10	50	30 - 70
<b>All Schools</b>	<b>90</b>	<b>39</b>	<b>32 - 48</b>
<b>f. Eleventh grade</b>			
High Schools	79	23	17 - 31
Middle Schools	NA	NA	NA
Junior/Senior High Schools	10	20	7 - 43
<b>All Schools</b>	<b>89</b>	<b>23</b>	<b>17 - 30</b>
<b>g. Twelfth grade</b>			
High Schools	79	23	17 - 31
Middle Schools	NA	NA	NA
Junior/Senior High Schools	10	20	7 - 43
<b>All Schools</b>	<b>89</b>	<b>23</b>	<b>17 - 30</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Enrollment in other courses</b>			
High Schools	88	18	12 - 25
Middle Schools	101	22	17 - 28
Junior/Senior High Schools	12	25	12 - 45
<b>All Schools</b>	<b>201</b>	<b>20</b>	<b>16 - 25</b>
<b>b. Participation in school sports</b>			
High Schools	88	1	0 - 6
Middle Schools	100	0	NA
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>200</b>	<b>1</b>	<b>0 - 2</b>
<b>c. Participation in other school activities</b>			
High Schools	88	21	15 - 29
Middle Schools	100	23	18 - 30
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>200</b>	<b>21</b>	<b>17 - 26</b>
<b>d. Participation in community sports activities</b>			
High Schools	88	0	NA
Middle Schools	100	0	NA
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>200</b>	<b>0</b>	<b>NA</b>
<b>e. Religious reasons</b>			
High Schools	87	21	14 - 29
Middle Schools	99	32	25 - 40
Junior/Senior High Schools	12	32	16 - 53
<b>All Schools</b>	<b>198</b>	<b>27</b>	<b>22 - 32</b>
<b>f. Long-term physical or medical disability</b>			
High Schools	88	65	56 - 73
Middle Schools	99	84	78 - 88
Junior/Senior High Schools	12	83	62 - 93
<b>All Schools</b>	<b>199</b>	<b>75</b>	<b>71 - 80</b>
<b>g. Cognitive disability</b>			
High Schools	88	22	16 - 30
Middle Schools	98	26	20 - 34
Junior/Senior High Schools	12	35	22 - 50
<b>All Schools</b>	<b>198</b>	<b>25</b>	<b>21 - 30</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>h. High physical fitness competency test score</b>			
High Schools	88	3	1 - 7
Middle Schools	99	2	1 - 6
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>199</b>	<b>2</b>	<b>1 - 5</b>
<b>i. Participation in vocational training</b>			
High Schools	88	3	1 - 7
Middle Schools	98	2	1 - 5
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>198</b>	<b>2</b>	<b>1 - 4</b>
<b>j. Participation in community service activities</b>			
High Schools	88	3	1 - 7
Middle Schools	98	3	1 - 7
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>198</b>	<b>3</b>	<b>1 - 5</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations



**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	91	99	96 - 100
Middle Schools	131	95	91 - 97
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>97</b>	<b>94 - 98</b>
<b>b. No</b>			
High Schools	91	1	0 - 4
Middle Schools	131	5	3 - 9
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>3</b>	<b>2 - 6</b>
<b>c. Not Applicable</b>			
High Schools	91	0	NA
Middle Schools	131	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>0</b>	<b>NA</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	90	94	88 - 96
Middle Schools	128	79	73 - 83
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>231</b>	<b>85</b>	<b>81 - 88</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**16. Percentage of schools that provide those who teach physical education with the following materials.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Goals, objectives, and expected outcomes for physical education</b>			
High Schools	91	95	90 - 98
Middle Schools	131	96	93 - 98
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>96</b>	<b>94 - 98</b>
<b>b. A chart describing the annual scope and sequence of instruction for physical education</b>			
High Schools	91	81	74 - 87
Middle Schools	130	81	75 - 86
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>81</b>	<b>77 - 85</b>
<b>c. Plans for how to assess student performance in physical education</b>			
High Schools	90	88	82 - 93
Middle Schools	129	84	79 - 89
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>86</b>	<b>82 - 89</b>
<b>d. A written physical education curriculum</b>			
High Schools	90	91	85 - 95
Middle Schools	130	90	85 - 93
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>90</b>	<b>87 - 93</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	84	50	42 - 57
Middle Schools	125	64	57 - 70
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>221</b>	<b>58</b>	<b>53 - 63</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**18. Percentage of schools that have adopted a policy prohibiting tobacco use.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	88	99	94 - 100
Middle Schools	127	91	86 - 94
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>95</b>	<b>92 - 96</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	86	100	NA
Middle Schools	113	99	96 - 100
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>210</b>	<b>100</b>	<b>98 - 100</b>
<b>b. Smokeless tobacco</b>			
High Schools	86	100	NA
Middle Schools	113	98	95 - 99
Junior/Senior High Schools	11	90	63 - 98
<b>All Schools</b>	<b>210</b>	<b>98</b>	<b>96 - 99</b>
<b>c. Cigars</b>			
High Schools	86	95	90 - 98
Middle Schools	113	96	92 - 98
Junior/Senior High Schools	11	72	48 - 88
<b>All Schools</b>	<b>210</b>	<b>94</b>	<b>91 - 96</b>
<b>d. Pipes</b>			
High Schools	86	95	90 - 98
Middle Schools	112	96	91 - 98
Junior/Senior High Schools	11	72	48 - 88
<b>All Schools</b>	<b>209</b>	<b>94</b>	<b>91 - 96</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	84	81	75 - 86
Middle Schools	111	82	76 - 87
Junior/Senior High Schools	11	66	41 - 84
<b>All Schools</b>	<b>206</b>	<b>81</b>	<b>77 - 84</b>
<b>b. Smokeless tobacco</b>			
High Schools	84	78	71 - 83
Middle Schools	112	79	72 - 84
Junior/Senior High Schools	11	55	29 - 79
<b>All Schools</b>	<b>207</b>	<b>77</b>	<b>72 - 81</b>
<b>c. Cigars</b>			
High Schools	84	78	72 - 84
Middle Schools	110	79	73 - 85
Junior/Senior High Schools	11	38	16 - 65
<b>All Schools</b>	<b>205</b>	<b>77</b>	<b>72 - 81</b>
<b>d. Pipes</b>			
High Schools	84	78	72 - 84
Middle Schools	111	80	74 - 85
Junior/Senior High Schools	11	38	16 - 65
<b>All Schools</b>	<b>206</b>	<b>77</b>	<b>73 - 81</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	84	79	72 - 84
Middle Schools	112	78	71 - 83
Junior/Senior High Schools	11	74	51 - 89
<b>All Schools</b>	<b>207</b>	<b>78</b>	<b>73 - 82</b>
<b>b. Smokeless tobacco</b>			
High Schools	84	71	64 - 76
Middle Schools	112	76	69 - 81
Junior/Senior High Schools	11	64	38 - 84
<b>All Schools</b>	<b>207</b>	<b>73</b>	<b>69 - 77</b>
<b>c. Cigars</b>			
High Schools	84	75	69 - 80
Middle Schools	111	78	71 - 83
Junior/Senior High Schools	11	46	24 - 69
<b>All Schools</b>	<b>206</b>	<b>75</b>	<b>70 - 79</b>
<b>d. Pipes</b>			
High Schools	84	75	69 - 80
Middle Schools	111	78	71 - 83
Junior/Senior High Schools	11	46	24 - 69
<b>All Schools</b>	<b>206</b>	<b>75</b>	<b>70 - 79</b>



**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	87	100	NA
Middle Schools	115	98	95 - 99
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>213</b>	<b>99</b>	<b>97 - 100</b>
<b>b. During non-school hours</b>			
High Schools	87	86	79 - 90
Middle Schools	113	90	86 - 94
Junior/Senior High Schools	11	63	40 - 81
<b>All Schools</b>	<b>211</b>	<b>87</b>	<b>83 - 90</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	85	77	70 - 83
Middle Schools	114	77	71 - 81
Junior/Senior High Schools	11	74	51 - 89
<b>All Schools</b>	<b>210</b>	<b>77</b>	<b>72 - 80</b>
<b>b. During non-school hours</b>			
High Schools	85	54	46 - 62
Middle Schools	113	56	49 - 63
Junior/Senior High Schools	11	38	16 - 65
<b>All Schools</b>	<b>209</b>	<b>55</b>	<b>49 - 60</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	84	83	77 - 88
Middle Schools	114	76	69 - 81
Junior/Senior High Schools	11	83	62 - 93
<b>All Schools</b>	<b>209</b>	<b>79</b>	<b>75 - 83</b>
<b>b. During non-school hours</b>			
High Schools	85	53	45 - 61
Middle Schools	113	56	49 - 63
Junior/Senior High Schools	11	38	16 - 65
<b>All Schools</b>	<b>209</b>	<b>54</b>	<b>49 - 59</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	87	100	NA
Middle Schools	115	100	NA
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>213</b>	<b>100</b>	<b>NA</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	87	98	94 - 99
Middle Schools	115	97	94 - 99
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>213</b>	<b>98</b>	<b>96 - 99</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	87	100	NA
Middle Schools	115	98	95 - 99
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>213</b>	<b>99</b>	<b>97 - 100</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	87	94	89 - 97
Middle Schools	113	97	94 - 99
Junior/Senior High Schools	11	90	67 - 98
<b>All Schools</b>	<b>211</b>	<b>96</b>	<b>93 - 97</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**21 (Faculty/Staff).** Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	85	95	90 - 97
Middle Schools	115	99	96 - 100
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>211</b>	<b>97</b>	<b>95 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	85	59	51 - 67
Middle Schools	115	55	49 - 62
Junior/Senior High Schools	11	66	47 - 81
<b>All Schools</b>	<b>211</b>	<b>58</b>	<b>53 - 62</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	85	93	88 - 96
Middle Schools	115	96	92 - 98
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>211</b>	<b>95</b>	<b>92 - 97</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	85	64	57 - 72
Middle Schools	113	57	50 - 64
Junior/Senior High Schools	11	64	42 - 81
<b>All Schools</b>	<b>209</b>	<b>60</b>	<b>55 - 65</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	84	97	92 - 99
Middle Schools	115	96	93 - 98
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>210</b>	<b>97</b>	<b>94 - 98</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	84	50	42 - 58
Middle Schools	113	41	34 - 47
Junior/Senior High Schools	11	57	43 - 70
<b>All Schools</b>	<b>208</b>	<b>45</b>	<b>40 - 50</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	83	94	89 - 97
Middle Schools	113	94	89 - 96
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>207</b>	<b>94</b>	<b>91 - 96</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	83	42	35 - 50
Middle Schools	113	41	34 - 49
Junior/Senior High Schools	11	38	25 - 53
<b>All Schools</b>	<b>207</b>	<b>42</b>	<b>37 - 47</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	83	21	16 - 28
Middle Schools	121	17	13 - 23
Junior/Senior High Schools	11	0	NA
<b>All Schools</b>	<b>215</b>	<b>18</b>	<b>14 - 22</b>

\*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	87	99	95 - 100
Middle Schools	115	98	95 - 99
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>213</b>	<b>99</b>	<b>97 - 99</b>
<b>b. Faculty and staff</b>			
High Schools	84	92	87 - 95
Middle Schools	114	84	78 - 89
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>207</b>	<b>87</b>	<b>83 - 90</b>
<b>c. Visitors</b>			
High Schools	84	80	73 - 85
Middle Schools	110	72	65 - 78
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>201</b>	<b>74</b>	<b>70 - 78</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations



**Kentucky  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	87	99	94 - 100
Middle Schools	115	96	92 - 98
Junior/Senior High Schools	11	91	71 - 98
<b>All Schools</b>	<b>213</b>	<b>97</b>	<b>94 - 98</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. No single individual is responsible</b>			
High Schools	80	41	32 - 49
Middle Schools	102	38	32 - 45
Junior/Senior High Schools	10	39	17 - 67
<b>All Schools</b>	<b>192</b>	<b>39</b>	<b>34 - 44</b>
<b>b. Principal</b>			
High Schools	80	29	22 - 36
Middle Schools	102	42	36 - 48
Junior/Senior High Schools	10	21	7 - 48
<b>All Schools</b>	<b>192</b>	<b>35</b>	<b>31 - 40</b>
<b>c. Assistant principal</b>			
High Schools	80	28	21 - 37
Middle Schools	102	19	14 - 25
Junior/Senior High Schools	10	40	21 - 63
<b>All Schools</b>	<b>192</b>	<b>24</b>	<b>20 - 29</b>
<b>d. Other school administrator</b>			
High Schools	80	1	0 - 5
Middle Schools	102	1	0 - 4
Junior/Senior High Schools	10	0	NA
<b>All Schools</b>	<b>192</b>	<b>1</b>	<b>0 - 3</b>
<b>e. Other school faculty or staff member</b>			
High Schools	80	1	0 - 5
Middle Schools	102	0	NA
Junior/Senior High Schools	10	0	NA
<b>All Schools</b>	<b>192</b>	<b>0</b>	<b>0 - 2</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Zero tolerance</b>			
High Schools	92	68	60 - 76
Middle Schools	132	73	66 - 78
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>238</b>	<b>70</b>	<b>65 - 74</b>
<b>b. Effect or severity of the violation</b>			
High Schools	92	19	14 - 27
Middle Schools	132	27	22 - 34
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>238</b>	<b>25</b>	<b>21 - 30</b>
<b>c. Grade level of student</b>			
High Schools	92	2	1 - 6
Middle Schools	132	12	8 - 17
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>238</b>	<b>8</b>	<b>5 - 11</b>
<b>d. Repeat offender status</b>			
High Schools	92	60	52 - 66
Middle Schools	132	33	27 - 40
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>238</b>	<b>46</b>	<b>42 - 51</b>
<b>e. None of these</b>			
High Schools	92	2	1 - 6
Middle Schools	132	4	2 - 7
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>238</b>	<b>3</b>	<b>2 - 5</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	92	0	NA
Middle Schools	131	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>0</b>	<b>NA</b>
<b>b. Referred to a school counselor</b>			
High Schools	91	18	12 - 24
Middle Schools	127	3	1 - 6
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>8</b>	<b>6 - 11</b>
<b>c. Referred to a school administrator</b>			
High Schools	92	0	NA
Middle Schools	130	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>0</b>	<b>0 - 2</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	92	23	17 - 30
Middle Schools	131	18	14 - 24
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>19</b>	<b>16 - 23</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	90	42	35 - 48
Middle Schools	130	43	37 - 49
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>41</b>	<b>36 - 45</b>
<b>f. Referred to legal authorities</b>			
High Schools	92	56	49 - 62
Middle Schools	128	55	48 - 62
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>54</b>	<b>49 - 58</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Placed in detention</b>			
High Schools	92	31	24 - 38
Middle Schools	127	21	15 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>24</b>	<b>20 - 28</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	91	26	19 - 34
Middle Schools	127	18	14 - 23
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>21</b>	<b>17 - 25</b>
<b>i. Given in-school suspension</b>			
High Schools	89	10	6 - 16
Middle Schools	125	10	7 - 15
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>11</b>	<b>8 - 14</b>
<b>j. Suspended from school</b>			
High Schools	91	15	10 - 22
Middle Schools	127	15	11 - 21
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>15</b>	<b>11 - 18</b>
<b>k. Expelled from school</b>			
High Schools	91	92	87 - 96
Middle Schools	125	84	78 - 88
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>87</b>	<b>84 - 90</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	91	59	52 - 66
Middle Schools	125	57	50 - 63
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>230</b>	<b>58</b>	<b>54 - 63</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	92	4	2 - 8
Middle Schools	131	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>1</b>	<b>1 - 3</b>
<b>b. Referred to a school counselor</b>			
High Schools	91	35	27 - 43
Middle Schools	127	13	9 - 18
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>22</b>	<b>18 - 27</b>
<b>c. Referred to a school administrator</b>			
High Schools	92	0	NA
Middle Schools	130	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>0</b>	<b>0 - 2</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	92	16	11 - 23
Middle Schools	131	30	25 - 37
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>25</b>	<b>21 - 29</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	90	21	16 - 27
Middle Schools	130	22	17 - 28
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>23</b>	<b>19 - 27</b>
<b>f. Referred to legal authorities</b>			
High Schools	92	24	18 - 30
Middle Schools	128	26	21 - 31
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>26</b>	<b>23 - 30</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Placed in detention</b>			
High Schools	92	8	5 - 12
Middle Schools	127	5	3 - 9
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>6</b>	<b>4 - 9</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	91	21	16 - 29
Middle Schools	127	21	16 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>21</b>	<b>18 - 26</b>
<b>i. Given in-school suspension</b>			
High Schools	89	4	2 - 8
Middle Schools	125	7	4 - 11
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>6</b>	<b>4 - 9</b>
<b>j. Suspended from school</b>			
High Schools	91	33	26 - 41
Middle Schools	127	24	19 - 30
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>28</b>	<b>24 - 32</b>
<b>k. Expelled from school</b>			
High Schools	91	7	4 - 12
Middle Schools	125	13	9 - 18
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>11</b>	<b>8 - 14</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	91	30	24 - 37
Middle Schools	125	27	22 - 33
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>230</b>	<b>27</b>	<b>23 - 31</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	92	12	8 - 17
Middle Schools	131	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>6</b>	<b>4 - 9</b>
<b>b. Referred to a school counselor</b>			
High Schools	91	35	29 - 43
Middle Schools	127	48	42 - 53
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>44</b>	<b>39 - 48</b>
<b>c. Referred to a school administrator</b>			
High Schools	92	3	1 - 7
Middle Schools	130	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>2</b>	<b>1 - 3</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	92	36	29 - 43
Middle Schools	131	27	22 - 33
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>32</b>	<b>28 - 36</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	90	24	18 - 31
Middle Schools	130	23	18 - 28
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>24</b>	<b>20 - 28</b>
<b>f. Referred to legal authorities</b>			
High Schools	92	17	12 - 23
Middle Schools	128	13	9 - 19
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>15</b>	<b>12 - 19</b>

NA=Not available

N=Unweighted number of observations



**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Placed in detention</b>			
High Schools	92	20	14 - 27
Middle Schools	127	31	26 - 38
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>26</b>	<b>22 - 31</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	91	39	32 - 48
Middle Schools	127	36	30 - 42
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>38</b>	<b>33 - 43</b>
<b>i. Given in-school suspension</b>			
High Schools	89	43	35 - 51
Middle Schools	125	41	35 - 48
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>43</b>	<b>38 - 47</b>
<b>j. Suspended from school</b>			
High Schools	91	48	40 - 56
Middle Schools	127	36	30 - 42
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>41</b>	<b>37 - 46</b>
<b>k. Expelled from school</b>			
High Schools	91	1	0 - 4
Middle Schools	125	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>2</b>	<b>1 - 3</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	91	9	5 - 14
Middle Schools	125	16	12 - 21
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>230</b>	<b>13</b>	<b>11 - 17</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	92	85	78 - 90
Middle Schools	131	99	97 - 100
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>93</b>	<b>90 - 95</b>
<b>b. Referred to a school counselor</b>			
High Schools	91	12	8 - 18
Middle Schools	127	37	32 - 43
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>26</b>	<b>22 - 30</b>
<b>c. Referred to a school administrator</b>			
High Schools	92	97	93 - 99
Middle Schools	130	98	94 - 99
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>97</b>	<b>95 - 99</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	92	25	19 - 33
Middle Schools	131	24	19 - 30
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>24</b>	<b>20 - 28</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	90	14	10 - 20
Middle Schools	130	12	9 - 17
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>13</b>	<b>10 - 17</b>
<b>f. Referred to legal authorities</b>			
High Schools	92	4	2 - 8
Middle Schools	128	6	4 - 10
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>5</b>	<b>3 - 7</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Placed in detention</b>			
High Schools	92	42	35 - 50
Middle Schools	127	43	36 - 50
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>44</b>	<b>39 - 49</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	91	13	9 - 20
Middle Schools	127	26	21 - 31
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>20</b>	<b>16 - 24</b>
<b>i. Given in-school suspension</b>			
High Schools	89	44	36 - 52
Middle Schools	125	42	35 - 48
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>41</b>	<b>36 - 46</b>
<b>j. Suspended from school</b>			
High Schools	91	4	2 - 9
Middle Schools	127	24	19 - 31
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>16</b>	<b>13 - 20</b>
<b>k. Expelled from school</b>			
High Schools	91	0	NA
Middle Schools	125	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>0</b>	<b>0 - 2</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	91	2	1 - 6
Middle Schools	125	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>230</b>	<b>1</b>	<b>1 - 3</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	91	58	49 - 67
Middle Schools	129	60	54 - 66
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>59</b>	<b>54 - 63</b>

NA=Not available

N=Unweighted number of observations

**Kentucky  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**28. Percentage of schools that did the following activities during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts</b>			
High Schools	91	51	43 - 59
Middle Schools	129	38	32 - 45
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>44</b>	<b>39 - 48</b>
<b>b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use</b>			
High Schools	92	73	66 - 79
Middle Schools	131	60	53 - 66
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>66</b>	<b>61 - 70</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**29. Percentage of schools that provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	90	13	9 - 19
Middle Schools	130	12	8 - 16
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>12</b>	<b>9 - 15</b>
<b>b. Students</b>			
High Schools	91	49	42 - 56
Middle Schools	131	30	26 - 35
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>40</b>	<b>36 - 44</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	92	24	19 - 31
Middle Schools	131	22	17 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>22</b>	<b>19 - 26</b>
<b>b. Students</b>			
High Schools	91	46	38 - 54
Middle Schools	130	40	35 - 46
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>43</b>	<b>38 - 48</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Foods or beverages are not offered at school celebrations</b>			
High Schools	90	5	2 - 9
Middle Schools	131	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>2</b>	<b>1 - 4</b>
<b>b. Never</b>			
High Schools	90	3	1 - 8
Middle Schools	131	4	2 - 7
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>3</b>	<b>2 - 6</b>
<b>c. Rarely</b>			
High Schools	90	13	9 - 20
Middle Schools	131	22	17 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>18</b>	<b>15 - 22</b>
<b>d. Sometimes</b>			
High Schools	90	46	38 - 55
Middle Schools	131	53	47 - 60
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>50</b>	<b>45 - 55</b>
<b>e. Always or almost always</b>			
High Schools	90	32	25 - 41
Middle Schools	131	21	17 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>26</b>	<b>22 - 31</b>

NA=Not available

N=Unweighted number of observations



**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	92	71	63 - 77
Middle Schools	130	68	61 - 74
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>69</b>	<b>64 - 74</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Chocolate candy</b>			
High Schools	63	19	13 - 27
Middle Schools	87	18	13 - 24
Junior/Senior High Schools	10	42	23 - 63
<b>All Schools</b>	<b>160</b>	<b>20</b>	<b>16 - 25</b>
<b>b. Other kinds of candy</b>			
High Schools	63	32	24 - 40
Middle Schools	87	25	19 - 32
Junior/Senior High Schools	10	42	23 - 63
<b>All Schools</b>	<b>160</b>	<b>29</b>	<b>24 - 34</b>
<b>c. Salty snacks that are not low in fat, such as regular potato chips</b>			
High Schools	63	32	23 - 41
Middle Schools	87	21	16 - 28
Junior/Senior High Schools	10	40	22 - 62
<b>All Schools</b>	<b>160</b>	<b>27</b>	<b>22 - 32</b>
<b>d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat</b>			
High Schools	63	32	24 - 40
Middle Schools	87	19	14 - 26
Junior/Senior High Schools	10	40	22 - 62
<b>All Schools</b>	<b>160</b>	<b>25</b>	<b>21 - 30</b>
<b>e. Ice cream or frozen yogurt that is not low in fat</b>			
High Schools	63	9	4 - 16
Middle Schools	87	9	6 - 15
Junior/Senior High Schools	10	9	2 - 32
<b>All Schools</b>	<b>160</b>	<b>9</b>	<b>6 - 13</b>
<b>f. 2% or whole milk (plain or flavored)</b>			
High Schools	63	40	32 - 48
Middle Schools	86	34	26 - 42
Junior/Senior High Schools	10	38	20 - 60
<b>All Schools</b>	<b>159</b>	<b>36</b>	<b>31 - 42</b>

NA=Not available

N=Unweighted number of observations

**Kentucky  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Water ices or frozen slushes that do not contain juice</b>			
High Schools	63	16	10 - 25
Middle Schools	87	10	6 - 16
Junior/Senior High Schools	10	9	2 - 36
<b>All Schools</b>	<b>160</b>	<b>12</b>	<b>9 - 17</b>
<b>h. Soda pop or fruit drinks that are not 100% juice</b>			
High Schools	63	50	40 - 59
Middle Schools	87	39	32 - 48
Junior/Senior High Schools	10	30	12 - 56
<b>All Schools</b>	<b>160</b>	<b>43</b>	<b>37 - 49</b>
<b>i. Sports drinks, such as Gatorade</b>			
High Schools	63	75	67 - 82
Middle Schools	87	53	46 - 61
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>159</b>	<b>62</b>	<b>56 - 67</b>
<b>j. Foods or beverages containing caffeine</b>			
High Schools	63	55	46 - 64
Middle Schools	87	44	37 - 52
Junior/Senior High Schools	10	50	30 - 70
<b>All Schools</b>	<b>160</b>	<b>49</b>	<b>43 - 55</b>
<b>k. Fruits (not fruit juice)</b>			
High Schools	63	23	16 - 31
Middle Schools	87	24	17 - 32
Junior/Senior High Schools	10	21	8 - 44
<b>All Schools</b>	<b>160</b>	<b>23</b>	<b>19 - 29</b>
<b>l. Non-fried vegetables (not vegetable juice)</b>			
High Schools	63	17	11 - 24
Middle Schools	85	15	10 - 22
Junior/Senior High Schools	10	11	3 - 36
<b>All Schools</b>	<b>158</b>	<b>15</b>	<b>12 - 20</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	63	75	66 - 82
Middle Schools	85	75	68 - 81
Junior/Senior High Schools	10	62	36 - 82
<b>All Schools</b>	<b>158</b>	<b>74</b>	<b>69 - 79</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**35. Percentage of schools that have done any of the following activities during this school year.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages</b>			
High Schools	89	1	0 - 6
Middle Schools	129	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>2</b>	<b>1 - 4</b>
<b>b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating</b>			
High Schools	89	31	24 - 40
Middle Schools	127	33	27 - 40
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>230</b>	<b>34</b>	<b>29 - 39</b>
<b>c. Provided information to students or families on the nutrition and caloric content of foods available</b>			
High Schools	90	31	25 - 39
Middle Schools	126	45	38 - 53
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>230</b>	<b>41</b>	<b>36 - 46</b>
<b>d. Conducted taste tests to determine food preferences for nutritious items</b>			
High Schools	89	11	7 - 17
Middle Schools	126	11	8 - 16
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>12</b>	<b>9 - 16</b>
<b>e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics</b>			
High Schools	89	10	6 - 16
Middle Schools	125	13	9 - 18
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>12</b>	<b>9 - 16</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	89	6	3 - 11
Middle Schools	122	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>224</b>	<b>3</b>	<b>2 - 5</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In the school building</b>			
High Schools	91	62	55 - 69
Middle Schools	130	57	50 - 64
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>59</b>	<b>55 - 64</b>
<b>b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus</b>			
High Schools	91	29	23 - 36
Middle Schools	130	45	39 - 52
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>40</b>	<b>36 - 45</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	91	76	69 - 82
Middle Schools	130	65	59 - 71
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>69</b>	<b>65 - 73</b>
<b>d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)</b>			
High Schools	91	45	38 - 52
Middle Schools	130	57	51 - 63
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>51</b>	<b>47 - 56</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**38. Percentage of schools that have a full-time registered nurse who provides health services to students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	91	29	23 - 35
Middle Schools	130	38	32 - 44
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>35</b>	<b>31 - 40</b>



**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. This school does not identify students diagnosed with chronic health conditions such as asthma</b>			
High Schools	88	1	0 - 4
Middle Schools	126	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>226</b>	<b>2</b>	<b>1 - 4</b>
<b>b. Student emergency cards</b>			
High Schools	90	76	69 - 82
Middle Schools	127	79	73 - 84
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>79</b>	<b>75 - 83</b>
<b>c. Medication records</b>			
High Schools	89	77	70 - 83
Middle Schools	126	85	80 - 89
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>227</b>	<b>81</b>	<b>77 - 85</b>
<b>d. Health room visit information</b>			
High Schools	91	27	20 - 35
Middle Schools	129	34	29 - 41
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>31</b>	<b>27 - 36</b>
<b>e. Emergency care plans</b>			
High Schools	90	47	39 - 55
Middle Schools	129	38	31 - 44
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>40</b>	<b>35 - 45</b>
<b>f. Physical exam records</b>			
High Schools	91	43	36 - 51
Middle Schools	129	59	54 - 65
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>233</b>	<b>54</b>	<b>49 - 58</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Notes from parents</b>			
High Schools	89	84	78 - 89
Middle Schools	126	87	83 - 91
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>227</b>	<b>87</b>	<b>83 - 90</b>
<b>h. Other</b>			
High Schools	92	29	22 - 37
Middle Schools	131	15	11 - 20
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>20</b>	<b>17 - 24</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. School has no students with known asthma</b>			
High Schools	90	1	0 - 4
Middle Schools	128	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>1</b>	<b>1 - 3</b>
<b>b. All students with known asthma have an asthma action plan on file</b>			
High Schools	90	38	31 - 46
Middle Schools	128	40	34 - 46
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>38</b>	<b>34 - 43</b>
<b>c. Most students with known asthma have an asthma action plan on file</b>			
High Schools	90	26	20 - 33
Middle Schools	128	28	23 - 33
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>26</b>	<b>23 - 31</b>
<b>d. Some students with known asthma have an asthma action plan on file</b>			
High Schools	90	16	12 - 22
Middle Schools	128	13	9 - 18
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>15</b>	<b>12 - 19</b>
<b>e. No students with known asthma have an asthma action plan on file</b>			
High Schools	90	18	13 - 24
Middle Schools	128	18	14 - 24
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>232</b>	<b>19</b>	<b>16 - 23</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. School does not identify students with poorly controlled asthma</b>			
High Schools	91	29	23 - 35
Middle Schools	130	21	16 - 26
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>23</b>	<b>19 - 27</b>
<b>b. Frequent absences from school</b>			
High Schools	92	28	22 - 35
Middle Schools	130	39	33 - 46
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>36</b>	<b>32 - 41</b>
<b>c. Frequent visits to the school health office due to asthma</b>			
High Schools	92	36	29 - 44
Middle Schools	131	56	48 - 63
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>50</b>	<b>45 - 55</b>
<b>d. Frequent asthma symptoms at school</b>			
High Schools	92	55	48 - 61
Middle Schools	130	55	48 - 61
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>57</b>	<b>52 - 61</b>
<b>e. Frequent non-participation in physical education class due to asthma</b>			
High Schools	91	30	23 - 37
Middle Schools	130	32	26 - 39
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>235</b>	<b>33</b>	<b>28 - 38</b>
<b>f. Students sent home early due to asthma</b>			
High Schools	92	30	24 - 36
Middle Schools	131	32	26 - 38
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>237</b>	<b>32</b>	<b>28 - 36</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Calls from school to 911, or other local emergency numbers, due to asthma</b>			
High Schools	92	19	14 - 26
Middle Schools	132	15	11 - 20
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>238</b>	<b>17</b>	<b>13 - 20</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Providing referrals to primary healthcare clinicians or child health insurance programs</b>			
High Schools	85	41	33 - 49
Middle Schools	124	47	41 - 54
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>223</b>	<b>46</b>	<b>41 - 51</b>
<b>b. Ensuring an appropriate written asthma action plan is obtained</b>			
High Schools	85	52	44 - 59
Middle Schools	126	64	58 - 70
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>225</b>	<b>61</b>	<b>56 - 65</b>
<b>c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school</b>			
High Schools	87	76	68 - 83
Middle Schools	127	80	74 - 85
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>80</b>	<b>75 - 84</b>
<b>d. Offering asthma education for the student with asthma and his/her family</b>			
High Schools	81	24	17 - 33
Middle Schools	125	38	33 - 44
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>220</b>	<b>35</b>	<b>30 - 39</b>
<b>e. Minimizing asthma triggers in the school environment</b>			
High Schools	86	63	55 - 71
Middle Schools	125	74	68 - 80
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>225</b>	<b>70</b>	<b>65 - 74</b>
<b>f. Addressing social and emotional issues related to asthma</b>			
High Schools	81	41	34 - 49
Middle Schools	125	41	35 - 48
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>220</b>	<b>41</b>	<b>37 - 46</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Providing additional psychosocial counseling or support services as needed</b>			
High Schools	82	39	31 - 47
Middle Schools	125	43	37 - 50
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>221</b>	<b>42</b>	<b>38 - 47</b>
<b>h. Ensuring access to safe, enjoyable physical education and activity opportunities</b>			
High Schools	85	79	72 - 84
Middle Schools	126	82	77 - 87
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>225</b>	<b>82</b>	<b>78 - 86</b>
<b>i. Ensuring access to preventive medications before physical activity</b>			
High Schools	84	79	72 - 85
Middle Schools	128	75	68 - 80
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>226</b>	<b>77</b>	<b>73 - 81</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	91	97	92 - 99
Middle Schools	131	99	96 - 99
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>98</b>	<b>96 - 99</b>



**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	85	100	NA
Middle Schools	129	100	NA
Junior/Senior High Schools	13	93	72 - 98
<b>All Schools</b>	<b>227</b>	<b>100</b>	<b>98 - 100</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. More than once per year</b>			
High Schools	90	2	1 - 6
Middle Schools	130	3	1 - 6
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>3</b>	<b>1 - 5</b>
<b>b. Once per year</b>			
High Schools	90	43	36 - 52
Middle Schools	130	54	47 - 60
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>49</b>	<b>44 - 54</b>
<b>c. Less than once per year</b>			
High Schools	90	8	4 - 13
Middle Schools	130	5	2 - 8
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>6</b>	<b>4 - 9</b>
<b>d. No such requirement</b>			
High Schools	90	47	39 - 55
Middle Schools	130	39	32 - 45
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>234</b>	<b>42</b>	<b>37 - 48</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	90	71	64 - 77
Middle Schools	132	68	62 - 74
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>236</b>	<b>68</b>	<b>64 - 72</b>

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	63	91	85 - 95
Middle Schools	89	87	80 - 91
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>159</b>	<b>89</b>	<b>85 - 92</b>
<b>b. Parents/families</b>			
High Schools	63	91	85 - 95
Middle Schools	89	85	78 - 90
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>159</b>	<b>88</b>	<b>84 - 92</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. No single individual is responsible</b>			
High Schools	59	31	22 - 40
Middle Schools	79	21	15 - 29
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>143</b>	<b>25</b>	<b>20 - 31</b>
<b>b. Principal</b>			
High Schools	59	19	12 - 28
Middle Schools	79	26	20 - 33
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>143</b>	<b>22</b>	<b>17 - 27</b>
<b>c. Assistant principal</b>			
High Schools	59	5	2 - 11
Middle Schools	79	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>143</b>	<b>2</b>	<b>1 - 5</b>
<b>d. School nurse</b>			
High Schools	59	33	24 - 44
Middle Schools	79	35	28 - 43
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>143</b>	<b>35</b>	<b>29 - 41</b>
<b>e. Other school faculty or staff member</b>			
High Schools	59	13	7 - 21
Middle Schools	79	18	12 - 25
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>143</b>	<b>16</b>	<b>12 - 21</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	86	21	16 - 28
Middle Schools	130	9	6 - 13
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>14</b>	<b>11 - 17</b>
<b>b. Tobacco-use prevention</b>			
High Schools	86	40	33 - 47
Middle Schools	130	25	20 - 32
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>32</b>	<b>28 - 37</b>
<b>c. Physical activity</b>			
High Schools	86	29	22 - 37
Middle Schools	130	39	32 - 46
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>36</b>	<b>32 - 42</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	86	35	29 - 43
Middle Schools	130	40	34 - 47
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>39</b>	<b>35 - 44</b>
<b>e. Asthma</b>			
High Schools	86	7	4 - 12
Middle Schools	129	10	7 - 15
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>9</b>	<b>7 - 12</b>

NA=Not available

N=Unweighted number of observations

**Kentucky**  
**2008 School Health Profiles Report**  
**Weighted Principal Survey Results**

**50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	86	28	22 - 35
Middle Schools	130	21	17 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>24</b>	<b>21 - 28</b>
<b>b. Tobacco-use prevention</b>			
High Schools	86	42	34 - 50
Middle Schools	130	38	33 - 44
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>41</b>	<b>37 - 46</b>
<b>c. Physical activity</b>			
High Schools	86	32	25 - 39
Middle Schools	130	38	32 - 44
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>38</b>	<b>34 - 43</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	86	36	29 - 44
Middle Schools	130	42	36 - 49
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>229</b>	<b>42</b>	<b>37 - 46</b>
<b>e. Asthma</b>			
High Schools	86	5	3 - 9
Middle Schools	129	12	9 - 18
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>228</b>	<b>9</b>	<b>7 - 12</b>

NA=Not available

N=Unweighted number of observations